

Package ‘mvsf’

February 20, 2015

Type Package

Title Shapiro-Francia Multivariate Normality Test

Version 1.0

Date 2009-08-31

Author David Delmail

Maintainer David Delmail <david.delmail@wanadoo.fr>

Description Generalization of the Shapiro-Francia test for multivariate variables.

License GPL (>= 2)

Depends nortest,mvnormtest

Repository CRAN

Date/Publication 2012-10-29 08:59:15

NeedsCompilation no

R topics documented:

mvsf	1
Index	3

mvsf	<i>Shapiro-Francia Multivariate Normality Test</i>
------	--

Description

An extension of the Shapiro-Wilk multivariate normality test developed by Slawomir Jarek ([mshapiro.test](#)) to the Shapiro-Francia normality test.

Usage

mvsf(m)

Arguments

`m` a numeric matrix of data values, the number of which must be for each sample between 5 and 5000.

Value

A list with class "htest" containing the following components:

`statistic` the value of the multivariate Shapiro-Francia statistic.
`p.value` the p-value for the test.
`method` the character string "Generalized Shapiro-Francia test for Multivariate Normality".
`data.name` a character string giving the name of the data.

Author(s)

David Delmail (<david.delmail@wanadoo.fr>)

References

- Domanski C. (1998). Wlasnosci testu wielowymiarowej normalnosci Shapiro-Wilka i jego zastosowanie. Cracow University of Economics Rector's Lectures, 37.
- Jarek S. (2009). Shapiro-Wilk Multivariate Normality Test. Package mvnormtest. <http://cran.r-project.org/web/packages/mvnormtest/>
- Royston P. (1982). An extension of Shapiro and Wilk's test for normality to large samples. Applied Statistics, 31: 115-124.
- Royston P. (1993). A pocket-calculator algorithm for the Shapiro-Francia test for non-normality: an application to medicine. Statistics in Medicine, 12: 181-184.
- Shapiro S.S., Francia R.S. (1972). An approximate analysis of variance test for normality. Journal of the American Statistical Association, 67: 215-216.
- Thode Jr. H.C. (2002). Testing for Normality. Marcel Dekker (Ed.), New York.

See Also

[sf.test](#) for univariate samples; [shapiro.test](#), [ad.test](#), [cvm.test](#), [lillie.test](#), [pearson.test](#) for performing further univariate tests for normality; [mshapiro.test](#) for performing another multivariate test for normality; [qqnorm](#) for producing a normal quantile-quantile plot.

Examples

```
library(mvsf)
data(EuStockMarkets)

X <- t(EuStockMarkets[15:29,1:4])
mvsf(X)
```

Index

`ad.test`, [2](#)

`cvm.test`, [2](#)

`lillie.test`, [2](#)

`mshapiro.test`, [1](#), [2](#)
`mvsf`, [1](#)

`pearson.test`, [2](#)

`qqnorm`, [2](#)

`sf.test`, [2](#)

`shapiro.test`, [2](#)