

# Package ‘RenvModule’

May 20, 2021

**Type** Package

**Title** Interface to Allow Full Use of the Environment Modules System  
for Unix

**Version** 1.1

**Date** 2021-05-19

**Author** Jordan Hayes

**Maintainer** Jordan Hayes <jhayes@ucr.edu>

**Description** Provides environment modules functionality, which enables use of the Environment Modules system (<<http://modules.sourceforge.net/>>) from within the R environment. By default the user's login shell environment (ie. ``bash -l'') will be used to initialize the current session. The module function can also; load or unload specific software, list all the loaded software within the current session, and list all the applications available for loading from the module system. Lastly, the module function can remove all loaded software from the current session.

**Imports** methods

**License** GPL-2

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2021-05-20 04:30:05 UTC

## R topics documented:

module	2
myEnvModules	2
RenvModule-class	3

<b>Index</b>	<b>4</b>
--------------	----------

---

module	<i>Define what happens based on action</i>
--------	--

---

**Description**

Define what happens based on action

**Usage**

```
module(action_type, module_name = "")
```

**Arguments**

action_type	Name of the action to be executed as character vector. The following switches are accepted: “avail”, “list”, “init”, “load”, “unload”, and “clear”.
module_name	Name of software to load as character vector.

**Examples**

```
## Not run:
module("load", "tophat")
module("load", "tophat/2.1.1")
module("list")
module("avail")
module("init")
module("unload", "tophat")
module("unload", "tophat/2.1.1")
module("clear")

## End(Not run)
```

---

myEnvModules	<i>Global instance of RenvModule</i>
--------------	--------------------------------------

---

**Description**

Global instance of RenvModule

**Usage**

```
myEnvModules
```

**Format**

An object of class RenvModule of length 1.

---

RenvModule-class      *A Reference Class to contain method.*

---

**Description**

A Reference Class to contain method.

# Index

\* **datasets**

myEnvModules, [2](#)

module, [2](#)

myEnvModules, [2](#)

RenvModule (RenvModule-class), [3](#)

RenvModule-class, [3](#)