

# Package ‘lax’

July 20, 2021

**Title** Loglikelihood Adjustment for Extreme Value Models

**Version** 1.2.0

**Date** 2021-07-20

**Description** Performs adjusted inferences based on model objects fitted, using maximum likelihood estimation, by the extreme value analysis packages 'eva' <<https://cran.r-project.org/package=eva>>, 'evd' <<https://cran.r-project.org/package=evd>>, 'evir' <<https://cran.r-project.org/package=evir>>, 'extRemes' <<https://cran.r-project.org/package=extRemes>>, 'fExtremes' <<https://cran.r-project.org/package=fExtremes>>, 'ismev' <<https://cran.r-project.org/package=ismev>>, 'mev' <<https://cran.r-project.org/package=mev>>, 'POT' <<https://cran.r-project.org/package=POT>> and 'texmex' <<https://cran.r-project.org/package=texmex>>. Adjusted standard errors and an adjusted loglikelihood are provided, using the 'chandwich' package <<https://cran.r-project.org/package=chandwich>> and the object-oriented features of the 'sandwich' package <<https://cran.r-project.org/package=sandwich>>. The adjustment is based on a robust sandwich estimator of the parameter covariance matrix, based on the methodology in Chandler and Bate (2007) <[doi:10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)>. This can be used for cluster correlated data when interest lies in the parameters of the marginal distributions, or for performing inferences that are robust to certain types of model misspecification. Univariate extreme value models, including regression models, are supported.

**Imports** chandwich, graphics, numDeriv, revdbayes, sandwich, stats, utils

**License** GPL (>= 2)

**LazyData** TRUE

**Encoding** UTF-8

**Depends** R (>= 3.3.0)

**RoxygenNote** 7.1.1

**Suggests** distillery, eva, evd, evir, extRemes, fExtremes, ismev, knitr, mev, POT, rmarkdown, testthat, texmex

**VignetteBuilder** knitr

**URL** <https://paulnorthrop.github.io/lax/>,  
<https://github.com/paulnorthrop/lax>

**BugReports** <https://github.com/paulnorthrop/lax/issues>

**NeedsCompilation** no

**Author** Paul J. Northrop [aut, cre, cph],  
 Camellia Yin [aut, cph]

**Maintainer** Paul J. Northrop <p.northrop@uc1.ac.uk>

**Repository** CRAN

**Date/Publication** 2021-07-20 05:00:02 UTC

## R topics documented:

alogLik . . . . .	3
anova.lax . . . . .	5
eva . . . . .	6
evd . . . . .	9
evir . . . . .	10
extRemes . . . . .	12
fExtremes . . . . .	15
ismev . . . . .	16
ismev_refits . . . . .	20
lax . . . . .	23
logLik.logLikVec . . . . .	25
logLikVec . . . . .	25
mev . . . . .	26
ow . . . . .	28
plot.retlev . . . . .	29
POT . . . . .	30
pot_refit . . . . .	31
print.retlev . . . . .	32
print.summary.retlev . . . . .	33
return_level . . . . .	34
summary.retlev . . . . .	36
texmex . . . . .	37

**Index** 40

**Description**

This function is generic. It performs adjustment of the loglikelihood associated with fitted model objects, following Chandler and Bate (2007). Certain classes of extreme value model objects are supported automatically. For details see the `alogLik` help pages for the packages: [evd](#), [evir](#), [extRemes](#), [fExtremes](#), [ismev](#), [mev](#), [POT](#), [texmex](#). User-supplied objects can also be supported: the requirements for these objects are explained in **Details**.

**Usage**

```
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

**Arguments**

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>loglik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

**Details**

Object `x` *must* have the following S3 methods:

- `logLikVec`: returns a vector of the contributions to the independence loglikelihood from individual observations;
- `coef`: returns a vector of model coefficients, see [coef](#);
- `nobs`: returns the number of (non-missing) observations used in a model fit, see [nobs](#);

and *may* have the following S3 methods

- `vcov`: returns the estimated variance-covariance matrix of the (main) parameters of a fitted model, see [vcov](#);
- `estfun`: returns an  $n \times k$  matrix, in which each column gives the derivative of the loglikelihood at each of  $n$  observation with respect to the  $k$  parameters of the model, see [estfun](#).

Loglikelihood adjustment is performed using the `adjust_loglik` function in the `chandwich` package. The relevant arguments to `adjust_loglik`, namely `loglik`, `mle`, `H` and `V`, are created based on the class of the object `x`.

If a `vcov` method is not available, or if `use_vcov = FALSE`, then the variance-covariance matrix of the MLE (from which `H` is calculated) is estimated inside `adjust_loglik` using `optimHess`.

The `sandwich` package is used to estimate the variance matrix `V` of the score vector: `meat` is used if `cluster = NULL`; `meatCL` is used if `cluster` is not `NULL`. If `cluster` is `NULL` then any arguments of `meatCL` present in `...` will be ignored. Similarly, if `cluster` is not `NULL` then any arguments of `meat` present in `...` will be ignored. `meat` and `meatCL` require an `estfun` method to be available, which, in the current context, provides matrix of score contributions. If a bespoke `estfun` method is not provided then this is constructed by estimating the score contributions using `jacobian`.

## Value

An object inheriting from class `"chandwich"`. See `adjust_loglik`.

If `x` is one of the supported models then the class of the returned object is a vector of length 5. The first 3 components are `c("lax", "chandwich", "name_of_package")`, where `"name_of_package"` is the name of the package from which the input object `x` originated. The remaining 2 components depend on the model that was fitted. See the documentation of the relevant package for details: `evd`, `evir`, `extRemes`, `fExtremes`, `isnev`, `mev`, `POT`, `texmex`.

Otherwise, the class of the returned object is `c("lax", "chandwich", class(x))`.

Objects returned from `'aloglik'` have `'anova'`, `'coef'`, `'confint'`, `'logLik'`, `'nobs'`, `'plot'`, `'print'`, `'summary'` and `'vcov'` methods.

## Examples

See the (package-specific) examples in `evd`, `evir`, `extRemes`, `fExtremes`, `isnev`, `mev`, `POT` and `texmex`.

## References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

## See Also

`summary.chandwich`, `plot.chandwich`, `confint.chandwich`, `anova.chandwich`, `coef.chandwich`, `vcov.chandwich` and `logLik.chandwich` for S3 methods for objects of class `"chandwich"`.

`conf_region` for confidence regions for pairs of parameters.

`adjust_loglik` in the `chandwich` package to adjust a user-supplied loglikelihood.

`meat` and `meatCL` in the `sandwich` package.

anova.lax

*Comparison of nested models***Description**

anova method for objects of class "lax". Compares two or more nested models using the adjusted likelihood ratio test statistic (ALRTS) described in Section 3.5 of Chandler and Bate (2007). The nesting must result from the simple constraint that a subset of the parameters of the larger model is held fixed.

**Usage**

```
## S3 method for class 'lax'
anova(object, object2, ...)
```

**Arguments**

object	An object of class "lax", inheriting from class "chandwich", returned by <a href="#">alogLik</a> .
object2	An object of class "lax", inheriting from class "chandwich", returned by <a href="#">alogLik</a> .
...	Further objects of class "lax" and/or arguments to be passed to <a href="#">anova.chandwich</a> , and then on to <a href="#">compare_models</a> , in particular type, which chooses the type of adjustment.

**Details**

The objects of class "lax" need not be provided in nested order: they will be ordered inside `anova.lax` based on the values of `attr(, "p_current")`.

**Value**

An object of class "anova" inheriting from class "data.frame", with four columns:

Model.Df	The number of parameters in the model
Df	The decrease in the number of parameter compared the model in the previous row
ALRTS	The adjusted likelihood ratio test statistic
Pr(>ALRTS)	The p-value associated with the test that the model is a valid simplification of the model in the previous row.

The row names are the names of the model objects.

**References**

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

**See Also**

[anova.chandwich](#): the anova method on which `anova.lax` is based.

[alogLik](#): loglikelihood adjustment for model fits.

**Examples**

```
got_evd <- requireNamespace("evd", quietly = TRUE)
if (got_evd) {
  library(evd)
  small <- fgev(ow$temp, nsloc = ow[, "loc"])
  adj_small <- alogLik(small, cluster = ow$year)
  tiny <- fgev(ow$temp)
  adj_tiny <- alogLik(tiny, cluster = ow$year)
  anova(adj_small, adj_tiny)

  set.seed(4082019)
  uvdata <- evd::rgev(100, loc = 0.13, scale = 1.1, shape = 0.2)
  M0 <- fgev(uvdata)
  M1 <- fgev(uvdata, nsloc = (-49:50)/100)
  adj0 <- alogLik(M0)
  adj1 <- alogLik(M1)
  anova(adj1, adj0)
}

got_textmex <- requireNamespace("textmex", quietly = TRUE)
if (got_textmex) {
  library(textmex)
  large <- evm(temp, ow, gev, mu = ~ loc, phi = ~ loc, xi = ~loc)
  medium <- evm(temp, ow, gev, mu = ~ loc, phi = ~ loc)
  small <- evm(temp, ow, gev, mu = ~ loc)
  tiny <- evm(temp, ow, gev)
  adj_large <- alogLik(large, cluster = ow$year)
  adj_medium <- alogLik(medium, cluster = ow$year)
  adj_small <- alogLik(small, cluster = ow$year)
  adj_tiny <- alogLik(tiny, cluster = ow$year)
  anova(adj_large, adj_medium, adj_small, adj_tiny)
}
```

**Description**

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the functions [gevrFit](#) and [gpdfFit](#) in the `eva` package.

**Usage**

```
## S3 method for class 'gevrFit'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'gpdFit'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

**Arguments**

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>loglik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

**Details**

See `alogLik` for details.

In the stationary case (no covariates) the function `gevrFit` and `gpdFit` in the `eva` package offer standard errors based on the expected information or on the observed information, via the argument `information`. In contrast, `alogLik()` always bases calculations on the observed information matrix. Therefore, unadjusted standard errors resulting from `alogLik()` may be different the corresponding standard errors from `gevrFit` or `gpdFit`.

For `gevrFit` only GEV fits (`gumbel = FALSE`) are supported.

**Value**

An object inheriting from class `"chandwich"`. See `adjust_loglik`. `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "eva")`. The 4th component depends on which model was fitted. `"rlarg"` if `gevrFit` was used; `"gpd"` if `gpdFit` was used. The 5th component is `"stat"` if there are no covariates in the mode and `"nonstat"` otherwise.

**References**

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

**See Also**

[alogLik](#): loglikelihood adjustment for model fits.

**Examples**

```
# We need the eva package
got_eva <- requireNamespace("eva", quietly = TRUE)

if (got_eva) {
  library(eva)
  # An example from the eva::gpdFit documentation
  set.seed(7)
  x <- eva::rgpd(2000, loc = 0, scale = 2, shape = 0.2)
  mle_fit <- eva::gpdFit(x, threshold = 4, method = "mle")
  adj_mle_fit <- alogLik(mle_fit)
  summary(adj_mle_fit)

  # Another example from the eva::gpdFit documentation
  # A linear trend in the scale parameter
  set.seed(7)
  n <- 300
  x2 <- eva::rgpd(n, loc = 0, scale = 1 + 1:n / 200, shape = 0)
  covs <- as.data.frame(seq(1, n, 1))
  names(covs) <- c("Trend1")
  result1 <- eva::gpdFit(x2, threshold = 0, scalevars = covs,
                        scaleform = ~ Trend1)
  adj_result1 <- alogLik(result1)
  summary(adj_result1)

  # An example from the eva::gevrFit documentation
  set.seed(7)
  x1 <- eva::rgevr(500, 1, loc = 0.5, scale = 1, shape = 0.3)
  result1 <- eva::gevrFit(x1, method = "mle")
  adj_result1 <- alogLik(result1)
  summary(adj_result1)

  # Another example from the eva::gevrFit documentation
  # A linear trend in the location and scale parameter
  n <- 100
  r <- 10
  x2 <- eva::rgevr(n, r, loc = 100 + 1:n / 50, scale = 1 + 1:n / 300,
                  shape = 0)
  covs <- as.data.frame(seq(1, n, 1))
  names(covs) <- c("Trend1")
  # Create some unrelated covariates
  covs$Trend2 <- rnorm(n)
  covs$Trend3 <- 30 * runif(n)
  result2 <- eva::gevrFit(data = x2, method = "mle", locvars = covs,
                        locform = ~ Trend1 + Trend2*Trend3,
                        scalevars = covs, scaleform = ~ Trend1)
  adj_result2 <- alogLik(result2)
  summary(adj_result2)
}
```

}

evd

*Loglikelihood adjustment for evd fits***Description**

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the functions `fgev` and `fpot` in the `evd` package. If `x` is returned from `fgev` then the call must have used `prob = NULL`.

**Usage**

```
## S3 method for class 'evd'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

**Arguments**

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>logLik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the <code>sandwich</code> package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

**Details**

See [alogLik](#) for details.

**Value**

An object inheriting from class `"chandwich"`. See [adjust\\_loglik](#). `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "evd")`. The remaining 2 components depend on the model that was fitted. If `fgev` was used then these components are `c("gev", "stat")` if `nsloc` was `NULL` and `c("gev", "nonstat")` if `nsloc` was not `NULL`. If `fpot` was used then these components are `c("pot", "gpd")` if `model` was `"gpd"` and `c("pot", "pp")` if `model` was `"pp"`.

## References

- Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)
- Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

## See Also

[alogLik](#): loglikelihood adjustment for model fits.

## Examples

```
# We need the evd package
got_evd <- requireNamespace("evd", quietly = TRUE)

if (got_evd) {
  library(evd)
  # An example from the evd::fgev documentation
  set.seed(3082019)
  uvdata <- evd::rgev(100, loc = 0.13, scale = 1.1, shape = 0.2)
  M1 <- evd::fgev(uvdata, nsloc = (-49:50)/100)
  adj_fgev <- alogLik(M1)
  summary(adj_fgev)

  # An example from Chandler and Bate (2007)
  owfit <- fgev(ow$temp, nsloc = ow$loc)
  adj_owfit <- alogLik(owfit, cluster = ow$year)
  summary(adj_owfit)

  # An example from the evd::fpot documentation
  set.seed(3082019)
  uvdata <- evd::rgpd(100, loc = 0, scale = 1.1, shape = 0.2)
  M1 <- fpot(uvdata, 1)
  adj_fpot <- alogLik(M1)
  summary(adj_fpot)
  # Fit using the pp model, rather than the gpd
  M1 <- fpot(uvdata, 1, model = "pp", npp = 365)
  adj_fpot <- alogLik(M1)
  summary(adj_fpot)
}
```

---

evir

*Loglikelihood adjustment for evir fits*

---

## Description

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the functions `gev`, `gpd` and `pot` in the `evir` package. If `x` was returned from `pot` then the model will need to be re-fitted using `pot_refit`.

## Usage

```
## S3 method for class 'gev'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'gpd'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'potd'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

## Arguments

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>logLik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

## Details

See `alogLik` for details.

If `pot` was used then `x` does not contain the raw data that `alogLik` needs. The model will need to be re-fitted using `pot_refit` and the user will be prompted to do this by an error message produced by `alogLik`.

## Value

An object inheriting from class `"chandwich"`. See `adjust_loglik`. `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "evir")`. The remaining 2 components depend on the model that was fitted. If `gev` was used then these components are `c("gev", "stat")`. If `gpd` was used then these components are `c("gpd", "stat")`. If `pot_refit` was used then these components are `c("potd", "stat")`.

## References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

**See Also**

[alogLik](#): loglikelihood adjustment for model fits.

**Examples**

```
# We need the evir package
got_evir <- requireNamespace("evir", quietly = TRUE)
if (got_evir) {
  library(evir)
  # An example from the evir::gev documentation
  data(bmw)
  out <- gev(bmw, "month")
  adj_out <- alogLik(out)
  summary(adj_out)

  # An example from the evir::gpd documentation
  data(danish)
  out <- gpd(danish, 10)
  adj_out <- alogLik(out)
  summary(adj_out)

  # An example from the evir::pot documentation
  # We use lax::pot_refit() to return the input data
  out <- pot_refit(danish, 10)
  adj_out <- alogLik(out)
  summary(adj_out)
}
```

---

 extRemes

*Loglikelihood adjustment for extRemes fits*


---

**Description**

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the function `fevd` in the `extRemes` package. The model must have been fitted using maximum likelihood estimation.

**Usage**

```
## S3 method for class 'fevd'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

**Arguments**

`x` A fitted model object with certain associated S3 methods. See **Details**.

`cluster` A vector or factor indicating from which cluster the respective loglikelihood contributions from `loglik` originate. This must have the same length as the vector returned by the `logLikVec` method for an object like `x`. If `cluster` is not

	supplied (i.e. is NULL) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
use_vcov	A logical scalar. Should we use the vcov S3 method for x (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument H to <code>adjust_loglik</code> ? Otherwise, H is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
...	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not NULL).

### Details

See `alogLik` for details.

### Value

An object inheriting from class "chandwich". See `adjust_loglik`. `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "extRemes")`. The remaining 2 components depend on the model that was fitted. The 4th component is: "gev" if `x$type = "GEV"` or `x$type = "Gumbel"`; "gp" if `x$type = "GP"` or `x$type = "Exponential"`; "pp" if `x$type = "PP"`. The 5th component is "stat" if `is.fixedfevd = TRUE` and "nonstat" if `is.fixedfevd = FALSE`.

### References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

### See Also

`alogLik`: loglikelihood adjustment for model fits.

### Examples

```
# We need the extRemes and distillery packages
got_extRemes <- requireNamespace("extRemes", quietly = TRUE)
got_distillery <- requireNamespace("distillery", quietly = TRUE)

if (got_extRemes & got_distillery) {
  library(extRemes)
  library(distillery)
  # Examples from the extRemes::fevd documentation
  data(PORTw)

  # GEV
  fit0 <- fevd(TMX1, PORTw, units = "deg C", use.phi = TRUE)
  adj_fit0 <- alogLik(fit0)
  summary(adj_fit0)

  # GEV regression
```

```

fitPORTstdmax <- fevd(TMX1, PORTw, scale.fun = ~STDTMAX, use.phi = TRUE)
adj_fit1 <- alogLik(fitPORTstdmax)
summary(adj_fit1)
fitPORTstdmax2 <- fevd(TMX1, PORTw, location.fun = ~STDTMAX,
                      scale.fun = ~STDTMAX, use.phi = TRUE)
adj_fit2 <- alogLik(fitPORTstdmax2)
summary(adj_fit2)
anova(adj_fit0, adj_fit1)
anova(adj_fit1, adj_fit2)
anova(adj_fit0, adj_fit2)
anova(adj_fit0, adj_fit1, adj_fit2)

# Gumbel
fit0 <- fevd(TMX1, PORTw, type = "Gumbel", units = "deg C")
adj_fit0 <- alogLik(fit0)
summary(adj_fit0)

# GP
data(damage)
fit1 <- fevd(Dam, damage, threshold = 6, type = "GP",
            time.units = "2.05/year")
adj_fit1 <- alogLik(fit1)
summary(adj_fit1)

# Exponential
fit0 <- fevd(Dam, damage, threshold = 6, type="Exponential",
            time.units = "2.05/year")
adj_fit0 <- alogLik(fit0)
summary(adj_fit0)

# GP non-constant threshold
data(Fort)
fit <- fevd(Prec, Fort, threshold = 0.475,
           threshold.fun = ~I(-0.15 * cos(2 * pi * month / 12)),
           type = "GP")
adj_fit <- alogLik(fit)
summary(adj_fit)

# Exponential non-constant threshold
fit <- fevd(Prec, Fort, threshold = 0.475,
           threshold.fun = ~I(-0.15 * cos(2 * pi * month / 12)),
           type = "Exponential")
adj_fit <- alogLik(fit)
summary(adj_fit)

# PP model
fit <- fevd(Prec, Fort, threshold = 0.475, type = "PP", units = "inches")
adj_fit <- alogLik(fit)
summary(adj_fit)

# PP non-constant threshold
fit <- fevd(Prec, Fort, threshold = 0.475,
           threshold.fun=~I(-0.15 * cos(2 * pi * month / 12)),

```

```

      type = "PP")
adj_fit <- alogLik(fit)
summary(adj_fit)
}

```

fExtremes

*Loglikelihood adjustment for fExtremes fits***Description**

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the functions `gevFit`, `gumbelFit` and `gpdFit` in the `fExtremes` package. The model must have been fitted using maximum likelihood estimation.

**Usage**

```

## S3 method for class 'fGEVFIT'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'fGPDFIT'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

```

**Arguments**

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>logLik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

**Details**

See `alogLik` for details.

**Value**

An object inheriting from class `"chandwich"`. See `adjust_loglik`. `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "fExtremes")`. The remaining 2 components depend on the model that was fitted. If `gevFit` or `gumbelFit` was used then these components are `c("gev", "stat")`. If `gpdFit` was used then these components are `c("gpd", "stat")`.

## References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

## See Also

[alogLik](#): loglikelihood adjustment for model fits.

## Examples

```
# We need the fExtremes package
got_fExtremes <- requireNamespace("fExtremes", quietly = TRUE)
if (got_fExtremes) {
  library(fExtremes)

  # GEV
  # An example from the fExtremes::gevFit documentation
  set.seed(4082019)
  x <- fExtremes::gevSim(model = list(xi=0.25, mu=0, beta=1), n = 1000)
  # Fit GEV distribution by maximum likelihood estimation
  fit <- fExtremes::gevFit(x)
  adj_fit <- alogLik(fit)
  summary(adj_fit)

  # GP
  # An example from the fExtremes::gpdFit documentation
  # Simulate GP data
  x <- fExtremes::gpdSim(model = list(xi = 0.25, mu = 0, beta = 1), n = 1000)
  # Fit GP distribution by maximum likelihood estimation
  fit <- fExtremes::gpdFit(x, u = min(x))
  adj_fit <- alogLik(fit)
  summary(adj_fit)
}
```

## Description

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the functions `gev.fit`, `gpd.fit`, `pp.fit` and `rlarg.fit` in the `ismev` package. If regression modelling is used then the model will need to be re-fitted, see `ismev_refits`.

## Usage

```
## S3 method for class 'gev.fit'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'pp.fit'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'gpd.fit'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'rlarg.fit'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

## Arguments

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>logLik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the <code>sandwich</code> package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

## Details

See [alogLik](#) for details.

If regression modelling is used then the `ismev` functions `gev.fit`, `gpd.fit`, `pp.fit` and `rlarg.fit` return residuals but `alogLik` needs the raw data. The model will need to be re-fitted, using one of the functions in `ismev_refits`, and the user will be prompted to do this by an error message produced by `alogLik`.

## Value

An object inheriting from class `"chandwich"`. See [adjust\\_loglik](#). `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "ismev")`. The remaining 2 components depend on the model that was fitted. The 4th component is: `"gev"` if `gev.fit` (or `gev_refit`) was used; `"gpd"` if `gpd.fit` (or `gpd_refit`) was used; `"pp"` if `pp.fit` (or `pp_refit`) was used; `"rlarg"` if `rlarg.fit` (or `rlarg_refit`) was used. The 5th component is `"stat"` if `x$trans = FALSE` and `"nonstat"` if `x$trans = TRUE`.

## References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

## See Also

[alogLik](#): loglikelihood adjustment for model fits.

## Examples

```
# We need the isnev package
got_isnev <- requireNamespace("isnev", quietly = TRUE)

if (got_isnev) {
  library(isnev)

  # GEV model -----

  # An example from the isnev::gev.fit documentation
  gev_fit <- gev.fit(revdbayes::portpirie, show = FALSE)
  adj_gev_fit <- alogLik(gev_fit)
  summary(adj_gev_fit)

  # An example from chapter 6 of Coles (2001)
  data(fremantle)
  xdat <- fremantle[, "SeaLevel"]
  # Set year 1897 to 1 for consistency with page 113 of Coles (2001)
  ydat <- cbind(fremantle[, "Year"] - 1896, fremantle[, "SOI"])
  gev_fit <- gev.refit(xdat, ydat, mul = 1:2, show = FALSE)
  adj_gev_fit <- alogLik(gev_fit)
  summary(adj_gev_fit)

  # An example from Chandler and Bate (2007)
  gev_fit <- gev.refit(ow$temp, ow, mul = 4, sigl = 4, shl = 4,
                    show = FALSE)
  adj_gev_fit <- alogLik(gev_fit, cluster = ow$year)
  summary(adj_gev_fit)
  # Get closer to the values reported in Table 2 of Chandler and Bate (2007)
  gev_fit <- gev.refit(ow$temp, ow, mul = 4, sigl = 4, shl = 4,
                    show = FALSE, method = "BFGS")
  # Call sandwich::meatCL() with cadjust = FALSE
  adj_gev_fit <- alogLik(gev_fit, cluster = ow$year, cadjust = FALSE)
  summary(adj_gev_fit)

  # GP model -----

  # An example from the isnev::gpd.fit documentation

  data(rain)
```

```

rain_fit <- gpd.fit(rain, 10, show = FALSE)
adj_rain_fit <- alogLik(rain_fit)
summary(adj_rain_fit)
# Continuing to the regression example on page 119 of Coles (2001)
ydat <- as.matrix((1:length(rain)) / length(rain))
reg_rain_fit <- gpd.refit(rain, 30, ydat = ydat, sigl = 1, siglink = exp,
                        show = FALSE)
adj_reg_rain_fit <- alogLik(reg_rain_fit)
summary(adj_reg_rain_fit)

# PP model -----

# An example from the isnev::pp.fit documentation
data(rain)
# Start from the mle to save time
init <- c(40.55755732, 8.99195409, 0.05088103)
munit <- init[1]
siginit <- init[2]
shinit <- init[3]
rain_fit <- pp.refit(rain, 10, munit = munit, siginit = siginit,
                    shinit = shinit, show = FALSE)
adj_rain_fit <- alogLik(rain_fit)
summary(adj_rain_fit)

# An example from chapter 7 of Coles (2001).
# Code from demo isnev::wooster.temps
data(wooster)
x <- seq(along = wooster)
usin <- function(x, a, b, d) {
  return(a + b * sin((x - d) * 2 * pi) / 365.25))
}
wu <- usin(x, -30, 25, -75)
ydat <- cbind(sin(2 * pi * x / 365.25), cos(2 * pi * x / 365.25))
# Start from the mle to save time
init <- c(-15.3454188, 9.6001844, 28.5493828, 0.5067104, 0.1023488,
          0.5129783, -0.3504231)
munit <- init[1:3]
siginit <- init[4:6]
shinit <- init[7]
wooster.pp <- pp.refit(-wooster, threshold = wu, ydat = ydat, mul = 1:2,
                      sigl = 1:2, siglink = exp, method = "BFGS",
                      munit = munit, siginit = siginit, shinit = shinit,
                      show = FALSE)
adj_pp_fit <- alogLik(wooster.pp)
summary(adj_pp_fit)

# r-largest order statistics model -----

# An example based on the isnev::rlarg.fit() documentation
vdata <- revdbayes::venice
rfit <- rlarg.fit(vdata, munit = 120.54, siginit = 12.78,
                 shinit = -0.1129, show = FALSE)
adj_rfit <- alogLik(rfit)

```

```
summary(adj_rfit)

# Adapt this example to add a covariate
set.seed(30102019)
ydat <- matrix(runif(nrow(vdata)), nrow(vdata), 1)
rfit2 <- rlarg_refit(vdata, ydat = ydat, mul = 1,
                   munit = c(120.54, 0), siginit = 12.78,
                   shinit = -0.1129, show = FALSE)
adj_rfit2 <- alogLik(rfit2)
summary(adj_rfit2)

}
```

---

ismev\_refits

*Maximum-likelihood (Re-)Fitting using the ismev package*


---

## Description

These are a slightly modified versions of the [gev.fit](#), [gpd.fit](#), [pp.fit](#) and [rlarg.fit](#) functions in the [ismev](#) package. The modification is to add to the returned object regression design matrices for the parameters of the model. That is, `xdat`, `ydat`, `mulink`, `siglink`, `shlink` and matrices `mumat`, `sigmat`, `shmat` for the location, scale and shape parameters [gev.fit](#), [pp.fit](#) and [rlarg.fit](#), and `xdat`, `ydat`, `siglink`, `shlink` and matrices `sigmat`, `shmat` for the scale and shape parameters for [gpd.fit](#).

## Usage

```
gev_refit(
  xdat,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  shl = NULL,
  mulink = identity,
  siglink = identity,
  shlink = identity,
  munit = NULL,
  siginit = NULL,
  shinit = NULL,
  show = TRUE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)

gpd_refit(
  xdat,
```

```
    threshold,  
    npy = 365,  
    ydat = NULL,  
    sigl = NULL,  
    shl = NULL,  
    siglink = identity,  
    shlink = identity,  
    siginit = NULL,  
    shinit = NULL,  
    show = TRUE,  
    method = "Nelder-Mead",  
    maxit = 10000,  
    ...  
)
```

```
pp_refit(  
  xdat,  
  threshold,  
  npy = 365,  
  ydat = NULL,  
  mul = NULL,  
  sigl = NULL,  
  shl = NULL,  
  mulink = identity,  
  siglink = identity,  
  shlink = identity,  
  munit = NULL,  
  siginit = NULL,  
  shinit = NULL,  
  show = TRUE,  
  method = "Nelder-Mead",  
  maxit = 10000,  
  ...  
)
```

```
rlarg_refit(  
  xdat,  
  r = dim(xdat)[2],  
  ydat = NULL,  
  mul = NULL,  
  sigl = NULL,  
  shl = NULL,  
  mulink = identity,  
  siglink = identity,  
  shlink = identity,  
  munit = NULL,  
  siginit = NULL,  
  shinit = NULL,  
)
```

```

    show = TRUE,
    method = "Nelder-Mead",
    maxit = 10000,
    ...
)

```

## Arguments

<code>xdat</code>	A numeric vector of data to be fitted.
<code>ydat</code>	A matrix of covariates for generalized linear modelling of the parameters (or NULL (the default) for stationary fitting). The number of rows should be the same as the length of <code>xdat</code> .
<code>mul</code>	Numeric vectors of integers, giving the columns of <code>ydat</code> that contain covariates for generalized linear modelling of the location, scale and shape parameters respectively (or NULL (the default) if the corresponding parameter is stationary).
<code>sigl</code>	Numeric vectors of integers, giving the columns of <code>ydat</code> that contain covariates for generalized linear modelling of the location, scale and shape parameters respectively (or NULL (the default) if the corresponding parameter is stationary).
<code>shl</code>	Numeric vectors of integers, giving the columns of <code>ydat</code> that contain covariates for generalized linear modelling of the location, scale and shape parameters respectively (or NULL (the default) if the corresponding parameter is stationary).
<code>mulink</code>	Inverse link functions for generalized linear modelling of the location, scale and shape parameters respectively.
<code>siglink</code>	Inverse link functions for generalized linear modelling of the location, scale and shape parameters respectively.
<code>shlink</code>	Inverse link functions for generalized linear modelling of the location, scale and shape parameters respectively.
<code>muinit</code>	numeric of length equal to total number of parameters used to model the location, scale or shape parameter(s), resp. See Details section for default (NULL) initial values.
<code>siginit</code>	numeric of length equal to total number of parameters used to model the location, scale or shape parameter(s), resp. See Details section for default (NULL) initial values.
<code>shinit</code>	numeric of length equal to total number of parameters used to model the location, scale or shape parameter(s), resp. See Details section for default (NULL) initial values.
<code>show</code>	Logical; if TRUE (the default), print details of the fit.
<code>method</code>	The optimization method (see <a href="#">optim</a> for details).
<code>maxit</code>	The maximum number of iterations.
<code>...</code>	Other control parameters for the optimization. These are passed to components of the control argument of <code>optim</code> .
<code>threshold</code>	The threshold; a single number or a numeric vector of the same length as <code>xdat</code> .
<code>npv</code>	The number of observations per year/block.
<code>r</code>	The largest <code>r</code> order statistics are used for the fitted model.

## References

Heffernan, J. E. and Stephenson, A. G. (2018). *ismev: An Introduction to Statistical Modeling of Extreme Values*. R package version 1.42. <https://CRAN.R-project.org/package=ismev>.

## Examples

```
# We need the ismev package
got_ismev <- requireNamespace("ismev", quietly = TRUE)
if (got_ismev) {
  library(ismev)
  fit1 <- gev.fit(revdbayes::portpirie, show = FALSE)
  ls(fit1)
  fit2 <- gev_refit(revdbayes::portpirie, show = FALSE)
  ls(fit2)

  data(rain)
  fit1 <- gpd.fit(rain, 10)
  ls(fit1)
  fit2 <- gpd_refit(rain, 10)
  ls(fit2)

  fit1 <- pp.fit(rain, 10, show = FALSE)
  ls(fit1)
  fit2 <- pp_refit(rain, 10, show = FALSE)
  ls(fit2)

  data(venice)
  fit1 <- rlarg.fit(venice[, -1], munit = 120.54, siginit = 12.78,
                  shinit = -0.1129, show = FALSE)
  ls(fit1)
  fit2 <- rlarg_refit(venice[, -1], munit = 120.54, siginit = 12.78,
                    shinit = -0.1129, show = FALSE)
  ls(fit2)
}
```

## Description

Performs adjusted inferences based on model objects fitted, using maximum likelihood estimation, by the extreme value analysis packages *eva*, *evd*, *evir*, *extRemes*, *fExtremes*, *ismev*, *mev*, *POT* and *texmex*. Univariate extreme value models, including regression models, are supported. Adjusted standard errors and an adjusted loglikelihood are provided, using the *chandwich* package and the object-oriented features of the *sandwich* package.

## Details

The adjustment is based on a robust sandwich estimator of the parameter covariance matrix, based on the methodology in Chandler and Bate (2007). This can be used for cluster correlated data when interest lies in the parameters of the marginal distributions, or for performing inferences that are robust to certain types of model misspecification.

The main function is `alogLik`, which works in an object-oriented way, operating on fitted model objects. This function performs the loglikelihood adjustments using `adjust_loglik`. See the following package-specific help pages for details and examples: `eva`, `evd`, `evir`, `extRemes`, `fExtremes`, `ismev`, `mev`, `POT`, `texmex`.

See `vignette("lax-vignette", package = "lax")` for an overview of the package.

## References

- Bader, B. and Yan, J. (2020). `eva`: Extreme Value Analysis with Goodness-of-Fit Testing. R package version 0.2.6. <https://CRAN.R-project.org/package=eva>
- Belzile, L., Wadsworth, J. L., Northrop, P. J., Grimshaw, S. D. and Huser, R. (2019). `mev`: Multivariate Extreme Value Distributions. R package version 1.12.2. <https://github.com/lbelzile/mev/>
- Berger S., Graham N., Zeileis A. (2017). Various Versatile Variances: An Object-Oriented Implementation of Clustered Covariances in R. Technical Report 2017-12, Working Papers in Economics and Statistics, Research Platform Empirical and Experimental Economics, Universitat Innsbruck. <https://EconPapers.RePEc.org/RePEc:inn:wpaper:2017-12>.
- Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)
- Gilleland, E. and Katz, R. W. (2016). `extRemes 2.0`: An Extreme Value Analysis Package in R. *Journal of Statistical Software*, **72**(8), 1-39. doi: [10.18637/jss.v072.i08](https://doi.org/10.18637/jss.v072.i08)
- Northrop, P. J. and Chandler, R. E. (2018). `chandwich`: Chandler-Bate Sandwich Loglikelihood Adjustment. R package version 1.1. <https://CRAN.R-project.org/package=chandwich>.
- Pfaff, B. and McNeil, A. (2018). `evir`: Extreme Values in R. R package version 1.7-4. <https://CRAN.R-project.org/package=evir>
- Ribatet, M. and Dutang, C. (2019). `POT`: Generalized Pareto Distribution and Peaks Over Threshold. R package version 1.1-7. <https://CRAN.R-project.org/package=POT>
- Southworth, H., Heffernan, J. E. and Metcalfe, P. D. (2017). `texmex`: Statistical modelling of extreme values. R package version 2.4. <https://CRAN.R-project.org/package=texmex>.
- Stephenson, A. G. `evd`: Extreme Value Distributions. *R News*, **2**(2):31-32, June 2002. <https://CRAN.R-project.org/doc/Rnews/>
- Stephenson, A. G., Heffernan, J. E. and Gilleland, E. (2018). `ismev`: An Introduction to Statistical Modeling of Extreme Values. R package version 1.42. <https://CRAN.R-project.org/package=ismev>.
- Wuertz, D., Setz, T. and Chalabi, Y. (2017). `fExtremes`: Rmetrics - Modelling Extreme Events in Finance. R package version 3042.82. <https://CRAN.R-project.org/package=fExtremes>
- Zeileis A. (2004). Econometric Computing with HC and HAC Covariance Matrix Estimators. *Journal of Statistical Software*, **11**(10), 1-17. doi: [10.18637/jss.v011.i10](https://doi.org/10.18637/jss.v011.i10).

Zeileis A. (2006). Object-Oriented Computation of Sandwich Estimators. *Journal of Statistical Software*, **16**(9), 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09).

---

logLik.logLikVec	<i>Sum loglikelihood contributions from individual observations</i>
------------------	---

---

### Description

S3 logLik method for logLikVec objects

### Usage

```
## S3 method for class 'logLikVec'
logLik(object, ...)
```

### Arguments

object	An object of class "logLikVec" return from a logLikVec method.
...	Further arguments.

---

logLikVec	<i>Evaluate loglikelihood contributions from specific observations</i>
-----------	--

---

### Description

Generic function for calculating loglikelihood contributions from individual observations for a fitted model.

### Usage

```
logLikVec(object, ...)
```

### Arguments

object	A fitted model object.
...	Further arguments.

## Description

S3 `alogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from the functions `fit.gev`, `fit.gpd`, and `fit.pp` and `fit.rlarg` in the `mev` package.

## Usage

```
## S3 method for class 'mev_gev'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'mev_pp'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'mev_gpd'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'mev_egg'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)

## S3 method for class 'mev_rlarg'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

## Arguments

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>loglik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

## Details

See `alogLik` for details.

If `x` was returned from `fit.pp` then the data `xdat` supplied to `fit.pp` must contain *all* the data, both threshold exceedances and non-exceedances.

**Value**

An object inheriting from class "chandwich". See `adjust_loglik`. `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "mev")`. The 4th component depends on which model was fitted. "gev" if `fit.gev` was used; "gpd" if `fit.gpd` was used; "pp" if `fit.pp` was used; "egp" if `fit.egp` was used; "rlarg" if `fit.rlarg` was used; The 5th component is "stat" (for stationary).

**References**

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

**See Also**

[alogLik](#): loglikelihood adjustment for model fits.

**Examples**

```
# We need the mev package
got_mev <- requireNamespace("mev", quietly = TRUE)

if (got_mev) {
  library(mev)
  # An example from the mev::gev.fit documentation
  gev_mev <- fit.gev(revdbayes::portpirie)
  adj_gev_mev <- alogLik(gev_mev)
  summary(adj_gev_mev)

  # Use simulated data
  set.seed(1112019)
  x <- revdbayes::rgp(365 * 10, loc = 0, scale = 1, shape = 0.1)
  pfit <- fit.pp(x, threshold = 1, npp = 365)
  adj_pfit <- alogLik(pfit)
  summary(adj_pfit)

  # An example from the mev::fit.gpd documentation
  gpd_mev <- fit.gpd(eskrain, threshold = 35, method = 'Grimshaw')
  adj_gpd_mev <- alogLik(gpd_mev)
  summary(adj_gpd_mev)

  # An example from the mev::fit.egp documentation
  # (model = "egp1" and model = "egp3" also work)
  xdat <- evd::rgpd(n = 100, loc = 0, scale = 1, shape = 0.5)
  fitted <- fit.egp(xdat = xdat, thresh = 1, model = "egp2", show = FALSE)
  adj_fitted <- alogLik(fitted)
  summary(adj_fitted)

  # An example from the mev::fit.rlarg documentation
  set.seed(31102019)
```

```
xdat <- rrlarg(n = 10, loc = 0, scale = 1, shape = 0.1, r = 4)
fitr <- fit.rlarg(xdat)
adj_fitr <- alogLik(fitr)
summary(adj_fitr)
}
```

---

ow

*Oxford and Worthing annual maximum temperatures*

---

### Description

Annual maximum temperatures at Oxford and Worthing (England), for the period 1901 to 1980.

### Usage

ow

### Format

A dataframe with 80 rows and 4 columns.

- Column 1, temp: annual maximum temperatures in degrees Fahrenheit.
- Column 2, year: year in which the maximum was recorded.
- Column 3, name: name of location, "oxford" or "worthing"
- Column 4, loc: location: 1 for "oxford", -1 for "worthing"

### Source

Tabony, R. C. (1983) Extreme value analysis in meteorology. *The Meteorological Magazine*, **112**, 77-98.

### References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

---

plot.retlev *Plot diagnostics for a retlev object*

---

### Description

plot method for an objects of class `c("retlev", "lax")`.

### Usage

```
## S3 method for class 'retlev'
plot(x, y = NULL, level = NULL, legend = TRUE, digits = 3, plot = TRUE, ...)
```

### Arguments

<code>x</code>	an object of class <code>c("retlev", "lax")</code> , a result of a call to <code>return_level</code> , using <code>prof = TRUE</code> .
<code>y</code>	Not used.
<code>level</code>	A numeric scalar in (0, 1). The confidence level required for the confidence interval for the <code>m</code> -year return level. If <code>level</code> is not supplied then <code>x\$level</code> is used. <code>level</code> must be no larger than <code>x\$level</code> .
<code>legend</code>	A logical scalar. Should we add a legend (in the top right of the plot) that gives the approximate values of the MLE and 100 <code>level</code> % confidence limits?
<code>digits</code>	An integer. Passed to <code>signif</code> to round the values in the legend.
<code>plot</code>	A logical scalar. If TRUE then the plot is produced. Otherwise, it is not, but the MLE and confidence limits are returned.
<code>...</code>	Further arguments to be passed to <code>plot</code> .

### Details

Plots the profile loglikelihood for a return level, provided that `x` returned by a call to `return_level` using `prof = TRUE`. Horizontal lines indicate the values of the maximised loglikelihood and the critical level used to calculate the confidence limits. If `level` is smaller than `x$level` then approximate 100`level`% confidence limits are recalculated based on the information contained in `x$for_plot`.

### Value

A numeric vector of length 3 containing the lower 100`level`% confidence limit, the MLE and the upper 100`level`% confidence limit.

### Examples

See the examples in `return_level`.

### See Also

`return_level` to perform inferences about return levels.

**Description**

S3 `aLogLik` method to perform loglikelihood adjustment for fitted extreme value model objects returned from `fitGPD` function in the POT package. The model must have been fitted using maximum likelihood estimation.

**Usage**

```
## S3 method for class 'uvpot'
aLogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

**Arguments**

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>logLik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the <code>sandwich</code> package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

**Details**

See `aLogLik` for details.

**Value**

An object inheriting from class `"chandwich"`. See `adjust_loglik`.

`class(x)` is `c("lax", "chandwich", "POT", "pot", "gpd")`.

**References**

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

**See Also**

[alogLik](#): loglikelihood adjustment for model fits.

**Examples**

```
# We need the POT package
got_POT <- requireNamespace("POT", quietly = TRUE)

if (got_POT) {
  library(POT)
  # An example from the POT::fitgpd documentation.
  set.seed(4082019)
  x <- POT::rgpd(200, 1, 2, 0.25)
  fit <- fitgpd(x, 1, "mle")
  adj_fit <- alogLik(fit)
}
```

---

pot_refit	<i>Fits a Poisson point process to the data, an approach sometimes known as peaks over thresholds (POT), and returns an object of class "potd".</i>
-----------	---

---

**Description**

This is a slightly modified versions of the [pot](#) function in the `evir` package. The main modification is to add to the returned object the argument data supplied by the user. This is added to the returned (list) object with the name `input_data`.

**Usage**

```
pot_refit(data, threshold = NA, nextremes = NA, run = NA, picture = TRUE, ...)
```

**Arguments**

data	numeric vector of data, which may have a times attribute containing (in an object of class "POSIXct", or an object that can be converted to that class; see <a href="#">as.POSIXct</a> ) the times/dates of each observation. If no times attribute exists, the data are assumed to be equally spaced.
threshold	a threshold value (either this or nextremes must be given but not both).
nextremes	the number of upper extremes to be used (either this or threshold must be given but not both).
run	if the data are to be declustered the run length parameter for the runs method (see <a href="#">decluster</a> ) should be entered here.
picture	whether or not a picture should be drawn if declustering is performed.
...	arguments passed to <a href="#">optim</a> .

## References

Bernhard Pfaff and Alexander McNeil (2018). *evir: Extreme Values in R*. R package version 1.7-4. <https://CRAN.R-project.org/package=evir>.

## Examples

```
# We need the evir package
got_evir <- requireNamespace("evir", quietly = TRUE)
if (got_evir) {
  library(evir)
  data(danish)
  out <- pot(danish, 10)
  ls(out)
  out <- pot_refit(danish, 10)
  ls(out)
}
```

---

print.retlev	<i>Print method for retlev object</i>
--------------	---------------------------------------

---

## Description

print method for an objects of class `c("retlev", "lax")`.

## Usage

```
## S3 method for class 'retlev'
print(x, digits = max(3L, getOption("digits") - 3L), ...)
```

## Arguments

<code>x</code>	an object of class <code>c("retlev", "lax")</code> , a result of a call to <a href="#">return_level</a> .
<code>digits</code>	The argument <code>digits</code> to <a href="#">print.default</a> .
<code>...</code>	Additional arguments. None are used in this function.

## Details

Prints the call to [return\\_level](#) and the estimates and  $100 \times \text{\$level1\%}$  confidence limits for the `x` $\text{\$m-}$  observation return level.

## Value

The argument `x`, invisibly, as for all [print](#) methods.

## Examples

See the examples in [return\\_level](#).

**See Also**

[return\\_level](#).

---

`print.summary.retlev` *Print method for objects of class "summary.retlev"*

---

**Description**

print method for an object `x` of class "summary.retlev".

**Usage**

```
## S3 method for class 'summary.retlev'  
print(x, ...)
```

**Arguments**

`x` An object of class "summary.retlev", a result of a call to [summary.retlev](#).  
`...` Additional arguments passed on to [print.default](#).

**Details**

Prints the call and the numeric matrix `x$matrix` returned from [summary.retlev](#).

**Value**

The argument `x`, invisibly, as for all [print](#) methods.

**Examples**

See the examples in [return\\_level](#).

**See Also**

[return\\_level](#) to perform inferences about return levels.

---

 return\_level

*Return Level Inferences for Stationary Extreme Value Models*


---

### Description

Calculates point estimates and confidence intervals for  $m$ -observation return levels for **stationary** extreme value fitted model objects returned from [alogLik](#). Two types of interval may be returned: (a) intervals based on approximate large-sample normality of the maximum likelihood estimator for return level, which are symmetric about the point estimate, and (b) profile likelihood-based intervals based on an (adjusted) loglikelihood.

### Usage

```
return_level(
  x,
  m = 100,
  level = 0.95,
  npy = 1,
  prof = TRUE,
  inc = NULL,
  type = c("vertical", "cholesky", "spectral", "none")
)
```

### Arguments

x	An object inheriting from class "lax" returned from <a href="#">alogLik</a> .
m	A numeric scalar. The return period, in units of the number of observations. See <b>Details</b> for information.
level	A numeric scalar in (0, 1). The confidence level required for confidence interval for the $m$ -observation return level.
npy	A numeric scalar. The
prof	A logical scalar. Should we calculate intervals based on profile loglikelihood?
inc	A numeric scalar. Only relevant if prof = TRUE. The increment in return level by which we move upwards and downwards from the MLE for the return level in the search for the lower and upper confidence limits. If this is not supplied then inc is set to one hundredth of the length of the symmetric confidence interval for return level.
type	A character scalar. The argument type to the function returned by <a href="#">adjust_loglik</a> , that is, the type of adjustment made to the independence loglikelihood function in creating an adjusted loglikelihood function. See <b>Details</b> and <b>Value</b> in <a href="#">adjust_loglik</a> .

## Details

At present `return_level` only supports GEV models.

Care must be taken in specifying the input value of `m`, taking into account the parameterisation of the original fit.

For GEV models it is common for each observation to relate to a year. In this event the `m`-observation return level is an `m`-year return level.

For details about the definition and estimation of return levels see Chapter 3 and 4 of Coles (2001).

The profile likelihood-based intervals are calculated by reparameterising in terms of the `m`-year return level and estimating the values at which the (adjusted) profile loglikelihood reaches the critical value  $\text{logLik}(x) - 0.5 * \text{stats::qchisq}(\text{level}, 1)$ . This is achieved by calculating the profile loglikelihood for a sequence of values of this return level as governed by `inc`. Once the profile loglikelihood drops below the critical value the lower and upper limits are estimated by interpolating linearly between the cases lying either side of the critical value. The smaller `inc` the more accurate (but slower) the calculation will be.

## Value

A object (a list) of class `"retlev"`, `"lax"` with the components

<code>r1_sym, r1_prof</code>	Named numeric vectors containing the respective lower <code>100level%</code> limit, the MLE and the upper <code>100level%</code> limit for the return level. If <code>prof = FALSE</code> then <code>r1_prof</code> will be missing.
<code>r1_se</code>	Estimated standard error of the return level.
<code>max_loglik, crit, for_plot</code>	If <code>prof = TRUE</code> then these components will be present, containing respectively: the maximised loglikelihood; the critical value and a matrix with return levels in the first column ( <code>ret_levs</code> ) and the corresponding values of the (adjusted) profile loglikelihood ( <code>prof_loglik</code> ).
<code>m, level</code>	The input values of <code>m</code> and <code>level</code> .
<code>call</code>	The call to <code>return_level</code> .

## References

Coles, S. G. (2001) *An Introduction to Statistical Modeling of Extreme Values*, Springer-Verlag, London. doi: [10.1007/9781447136750\\_3](https://doi.org/10.1007/9781447136750_3)

## See Also

[plot.retlev](#) for plotting the profile loglikelihood for a return level.

## Examples

```
got_evd <- requireNamespace("evd", quietly = TRUE)

if (got_evd) {
  library(evd)
```

```

# An example from the evd::fgev documentation
set.seed(4082019)
uvdata <- evd::rgev(100, loc = 0.13, scale = 1.1, shape = 0.2)
M1 <- fgev(uvdata)
adj_fgev <- alogLik(M1)
# Large inc set here for speed, sacrificing accuracy
r1 <- return_level(adj_fgev, inc = 0.5)
summary(r1)
plot(r1)
}

got_ismev <- requireNamespace("ismev", quietly = TRUE)

if (got_ismev) {
  library(ismev)
  # An example from the ismev::gev.fit documentation
  gev_fit <- gev.fit(revdbayes::portpirie, show = FALSE)
  adj_gev_fit <- alogLik(gev_fit)
  # Large inc set here for speed, sacrificing accuracy
  r1 <- return_level(adj_gev_fit, inc = 0.05)
  summary(r1)
  plot(r1)
}

```

---

summary.retlev

*Summary method for a "retlev" object*


---

## Description

summary method for an objects of class c("retlev", "lax").

## Usage

```
## S3 method for class 'retlev'
summary(object, digits, ...)
```

## Arguments

object	an object of class c("retlev", "lax"), a result of a call to <a href="#">return_level</a> .
digits	An integer. Used for number formatting with <a href="#">signif</a> . If digits is not specified (i.e. <a href="#">missing</a> ) then signif() will not be called (i.e. no rounding will be performed).
...	Additional arguments. None are used in this function.

## Value

Returns a list containing the list element object\$call and a numeric matrix matrix containing the MLE and estimated SE of the return level.

**Examples**

See the examples in [return\\_level](#).

**See Also**

[return\\_level](#).

---

 texmex

*Loglikelihood adjustment of texmex fits*


---

**Description**

S3 `alogLik` method to perform loglikelihood adjustment of fitted extreme value model objects returned from the `evm` function in the `texmex` package. The model must have been fitted using maximum likelihood estimation.

**Usage**

```
## S3 method for class 'evmOpt'
alogLik(x, cluster = NULL, use_vcov = TRUE, ...)
```

**Arguments**

<code>x</code>	A fitted model object with certain associated S3 methods. See <b>Details</b> .
<code>cluster</code>	A vector or factor indicating from which cluster the respective loglikelihood contributions from <code>loglik</code> originate. This must have the same length as the vector returned by the <code>logLikVec</code> method for an object like <code>x</code> . If <code>cluster</code> is not supplied (i.e. is <code>NULL</code> ) then it is assumed that each observation forms its own cluster. See <b>Details</b> .
<code>use_vcov</code>	A logical scalar. Should we use the <code>vcov</code> S3 method for <code>x</code> (if this exists) to estimate the Hessian of the independence loglikelihood to be passed as the argument <code>H</code> to <code>adjust_loglik</code> ? Otherwise, <code>H</code> is estimated inside <code>adjust_loglik</code> using <code>optimHess</code> .
<code>...</code>	Further arguments to be passed to the functions in the sandwich package <code>meat</code> (if <code>cluster = NULL</code> ), or <code>meatCL</code> (if <code>cluster</code> is not <code>NULL</code> ).

**Details**

See [alogLik](#) for details.

**Value**

An object inheriting from class `"chandwich"`. See [adjust\\_loglik](#). `class(x)` is a vector of length 5. The first 3 components are `c("lax", "chandwich", "texmex")`. The remaining 2 components depend on the model that was fitted. The 4th component is: `"gev"` if `x$family$name = "GEV"`; `"gpd"` if `x$family$name = "GPD"`; `"egp3"` if `x$family$name = "EGP3"`. The 5th component is `"stat"` if there are no covariates in the mode and `"nonstat"` otherwise.

## References

Chandler, R. E. and Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, **94**(1), 167-183. doi: [10.1093/biomet/asm015](https://doi.org/10.1093/biomet/asm015)

Zeileis (2006) Object-Oriented Computation and Sandwich Estimators. *Journal of Statistical Software*, **16**, 1-16. doi: [10.18637/jss.v016.i09](https://doi.org/10.18637/jss.v016.i09)

## See Also

[alogLik](#): loglikelihood adjustment for model fits.

## Examples

```
# We need the texmex package, and ismev for the fremantle dataset
got_texmex <- requireNamespace("texmex", quietly = TRUE)
got_ismev <- requireNamespace("ismev", quietly = TRUE)
if (got_texmex) {
  library(texmex)
  # Examples from the texmex::evm documentation

  # GEV
  mod <- evm(SeaLevel, data = texmex::portpirie, family = gev)
  adj_mod <- alogLik(mod)
  summary(adj_mod)

  # GP
  mod <- evm(rain, th = 30)
  adj_mod <- alogLik(mod)
  summary(adj_mod)
  mod <- evm(rain, th = 30, cov = "sandwich")
  mod$se
  vcov(adj_mod)
  vcov(mod)

  # EGP3
  mod <- evm(rain, th = 30, family = egp3)
  adj_mod <- alogLik(mod)
  summary(adj_mod)

  # GP regression
  # An example from page 119 of Coles (2001)
  n_rain <- length(rain)
  rain_df <- data.frame(rain = rain, time = 1:n_rain / n_rain)
  evm_fit <- evm(y = rain, data = rain_df, family = gpd, th = 30,
                phi = ~ time)
  adj_evm_fit <- alogLik(evm_fit)
  summary(adj_evm_fit)
  evm_fit <- evm(y = rain, data = rain_df, family = gpd, th = 30,
                phi = ~ time, cov = "sandwich")
  evm_fit$se
  vcov(adj_evm_fit)
  vcov(evm_fit)
```

```
# GEV regression
# An example from page 113 of Coles (2001)
if (got_ismev) {
  library(ismev)
  data(fremantle)
  new_fremantle <- fremantle
  # Set year 1897 to 1 for consistency with page 113 of Coles (2001)
  new_fremantle[, "Year"] <- new_fremantle[, "Year"] - 1896
  evm_fit <- evm(y = SeaLevel, data = new_fremantle, family = gev,
                mu = ~ Year + SOI)
  adj_evm_fit <- alogLik(evm_fit)
  summary(adj_evm_fit)
}

# An example from Chandler and Bate (2007)
# Note: evm uses phi = log(sigma)
evm_fit <- evm(temp, ow, gev, mu = ~ loc, phi = ~ loc, xi = ~loc)
adj_evm_fit <- alogLik(evm_fit, cluster = ow$year, cadjust = FALSE)
summary(adj_evm_fit)
}
```

# Index

## \* datasets

- ow, 28
- adjust\_loglik, 3, 4, 7, 9, 11, 13, 15, 17, 24, 26, 27, 30, 34, 37
- alogLik, 3, 5–13, 15–18, 24, 26, 27, 30, 31, 34, 37, 38
- alogLik.evd (evd), 9
- alogLik.evmOpt (texmex), 37
- alogLik.fevd (extRemes), 12
- alogLik.fGEVFIT (fExtremes), 15
- alogLik.fGPDFIT (fExtremes), 15
- alogLik.gev (evir), 10
- alogLik.gev.fit (ismev), 16
- alogLik.gevrFit (eva), 6
- alogLik.gpd (evir), 10
- alogLik.gpd.fit (ismev), 16
- alogLik.gpdFit (eva), 6
- alogLik.mev\_egp (mev), 26
- alogLik.mev\_gev (mev), 26
- alogLik.mev\_gpd (mev), 26
- alogLik.mev\_pp (mev), 26
- alogLik.mev\_rlarg (mev), 26
- alogLik.potd (evir), 10
- alogLik.pp.fit (ismev), 16
- alogLik.rlarg.fit (ismev), 16
- alogLik.uvpot (POT), 30
- anova.chandwich, 4–6
- anova.lax, 5
- as.POSIXct, 31
  
- chandwich, 4
- coef, 3
- coef.chandwich, 4
- compare\_models, 5
- conf\_region, 4
- confint.chandwich, 4
  
- decluster, 31
- estfun, 3, 4
  
- eva, 6, 24
- evd, 3, 4, 9, 24
- evir, 3, 4, 10, 24
- evm, 37
- extRemes, 3, 4, 12, 12, 24
  
- fevd, 12
- fExtremes, 3, 4, 15, 15, 24
- fgev, 9
- fit.egp, 27
- fit.gev, 26, 27
- fit.gpd, 26, 27
- fit.pp, 26, 27
- fit.rlarg, 26, 27
- fitGPD, 30
- fpot, 9
  
- gev, 10, 11
- gev.fit, 16, 17, 20
- gev\_refit, 17
- gev\_refit (ismev\_refits), 20
- gevFit, 15
- gevrFit, 6, 7
- gpd, 10, 11
- gpd.fit, 16, 17, 20
- gpd\_refit, 17
- gpd\_refit (ismev\_refits), 20
- gpdFit, 6, 7, 15
- gumbelFit, 15
  
- is.fixedfevd, 13
- ismev, 3, 4, 16, 16, 20, 24
- ismev\_refits, 16, 17, 20
  
- jacobian, 4
  
- lax, 23
- logLik.chandwich, 4
- logLik.logLikVec, 25
- logLikVec, 25

meat, [3](#), [4](#), [7](#), [9](#), [11](#), [13](#), [15](#), [17](#), [26](#), [30](#), [37](#)  
meatCL, [3](#), [4](#), [7](#), [9](#), [11](#), [13](#), [15](#), [17](#), [26](#), [30](#), [37](#)  
mev, [3](#), [4](#), [24](#), [26](#)  
missing, [36](#)

nobs, [3](#)

optim, [22](#), [31](#)  
optimHess, [3](#), [4](#), [7](#), [9](#), [11](#), [13](#), [15](#), [17](#), [26](#), [30](#), [37](#)  
ow, [28](#)

plot, [29](#)  
plot.chandwich, [4](#)  
plot.retlev, [29](#), [35](#)  
POT, [3](#), [4](#), [24](#), [30](#)  
pot, [10](#), [11](#), [31](#)  
pot\_refit, [10](#), [11](#), [31](#)  
pp.fit, [16](#), [17](#), [20](#)  
pp\_refit, [17](#)  
pp\_refit (ismev\_refits), [20](#)  
print, [32](#), [33](#)  
print.default, [32](#), [33](#)  
print.retlev, [32](#)  
print.summary.retlev, [33](#)

return\_level, [29](#), [32](#), [33](#), [34](#), [36](#), [37](#)  
rlarg.fit, [16](#), [17](#), [20](#)  
rlarg\_refit, [17](#)  
rlarg\_refit (ismev\_refits), [20](#)

signif, [29](#), [36](#)  
summary.chandwich, [4](#)  
summary.retlev, [33](#), [36](#)

texmex, [3](#), [4](#), [24](#), [37](#), [37](#)

vcov, [3](#)  
vcov.chandwich, [4](#)